HICKORY - CLEAR

PREFINISHED BUCKEYE

APPEARANCE/COLOR: The heartwood is tan or reddish. The sapwood is white to cream, with fine brown lines. Heartwood and sapwood often are sharply demarcated. The color can vary significantly.

PHOTOSENSITIVITY: Low. Slightly ambers with age and exposure to prolonged sunlight and oxygen.

GRAIN: Ring-porous. The grain is closed, with moderate definition. The grain can be somewhat rough-textured.

HARDNESS (JANKA): Averages 1820 lbf
AVERAGE DRIED WEIGHT: 4.16 lbs per sq. ft.
SPECIFIC GRAVITY: Averages 0.72 (at 12% MC)
DIMENSIONAL STABILITY IN-USE: Below average.

INSTALLATION: Cuts, routs, planes, and shapes well, with only a slight dulling effect on cutting edges. The irregular grain can chip or tear when blades become dull. Can be somewhat brittle and has a tendency to split the tongues when nailing, but can be avoided when compressor psi is set appropriately. Glue adheres well, with no known issues.

SAND/FINISH: Sands satisfactorily when following the standard grit progression sequence. It may require a higher grit abrasive on the final passes than with other species to minimize visible scratches. Accepts stains and finishes very nicely, with no known concerns.

CLEAR GRADING RULES: Natural variations in heartwood and sapwood coloration, along with allowable natural wood characters. Will admit the following: Limited small light colored pin knots or bird pecks '4" in diameter, small burls, and thin light brown streaks. The back side will admit: Occasional scant thickness and or waney edge if piece has sufficient bearing of full thickness to support it to the floor.

SPECIFICATIONS

PREFINISH Buckeye
SOLD In Full Carton
SHIPPING WEIGHT 4.16 lbs per sq. ft.

EDGE 4-Sided Micro-Beveled Edge

INSTALLATION Nail/Staple Down
STANDARD LENGTH Random from 1'-8'
STANDARD WIDTHS 3 1/4", 4 1/4", 5 1/4"

AVERAGE LENGTH 42"
THICKNESS 3/4" Solid
AVG. WASTE FACTOR 5%

FINISH TYPE 30 Sheen Solid-Based Ceramic Urethane

*DISCLAIMER: Real wood flooring will vary in color, grain pattern, and/or texture from samples as no two boards are alike.





HICKORY CLEAR PREFINISHED BUCKEYE