





Using beautiful Appalachian hardwood locally harvested from Northeast Ohio and Western Pennsylvania, Sheoga's unique formula of components includes premium, furniture-grade lumber in the mix of raw materials to manufacture our precisely milled hardwood flooring.

Using Sheoga Hardwood Flooring saves you time and money

- · Precision slow-milling and straighter boards allow for quicker installation
- · Less over-wood saves you time on sanding
- · Premium lumber used for less material waste
- Longer Length Average aesthetically pleasing
- Prefinished floors finished with durable UV-Cured Ceramic
 Polyurethane able to be screened and recoated for lifetime beauty
- Made in America from sustainable sources
- Quality hardwood flooring for a healthy home

QUALITY, BEAUTY, PRECISION

Established in 1982, Sheoga Hardwood Flooring and Paneling is a proven leader in manufacturing consistent, quality hardwood flooring and paneling. Located in the rolling hills of Geauga County, Ohio, in the heart of a large Amish community, Sheoga employs a team of local craftsmen who are united in producing the best quality solid and engineered hardwood flooring available anywhere. Sheoga's established reputation of more than 40 years has gained recognition among the hardwood flooring industry for our unparalleled manufacturing of hardwood floors that meet and exceed our customer's expectations. We guarantee unequal value for an affordable price. Our recognition has been achieved by producing the finest quality American-made flooring and paneling available.

THE PRECISE PROCESS

PROPER CARE FROM START TO FINISH

Sheoga is committed to producing quality prefinished and unfinished solid and engineered hardwood flooring. Our reputation for quality and precision begins with our loyal craftsmen and our attention during the quality control process. We guarantee high-quality flooring, precision milling, and courteous service.



RECEIVING

Shipments of green, fresh-cut hardwood lumber arrive daily. Then the precise process begins, transforming that lumber into a premium Sheoga brand floor.

GRADING

Every board is individually measured and graded for quality assurance.

KILN DRYING

After naturally air-drying, lumber is kiln-dried to 6-8% moisture content, equalized and conditioned for interior use.

ROUGH MILL

Once lumber is properly dried, we sort for grade, width and any defects. Then we separate blanks for Clear or Character flooring.

LARGE BLANK INVENTORY

Flooring blanks are stored in a climate-controlled environment.

SIDE MATCHING

Our hand-fed tongue & groove milling process ensures a precise fit for ease of installation, sand and finish.

END-MATCHING

Ends are cut square, then tongue & grooved for a perfect end joint.

QUALITY CONTROL

Continuous checkpoints for assurance of a precise fit.

DETAILED TEXTURING

Various texture choices are available to add that perfect finishing touch to your decor.

PACKAGING

After final inspection, flooring is bundled; then stacked in units, covered, securely banded and ready to ship to our global market places.





The various species of unfinished flooring available from Sheoga come in two different grades. Clear grade, which is free of knots/defects and Character grade that features tight, fillable knots and mineral streaks which add charm and offer a less formal appearance.



CHERRY

A traditional and elegant hardwood flooring and wood paneling option. Cherry heartwood is light to dark reddish brown.



RED OAK

Beautiful reddish-brown wood with wider grain patterns. Heartwood and sapwood are similar, with sapwood lighter in color.



BEECH

Closed, straight grain with uniform texture. Heartwood is mostly reddish brown and sapwood is generally pale white.



HARD MAPLE

Closed grain with uniform texture. Heartwood is creamy white to light reddish brown. Sapwood is pale to creamy white.




HICKORY

Closed grain with moderate definition. Heartwood is tan to reddish and sapwood is white to cream with fine brown lines.



LIVE SAWN WHITE OAK

Live sawn boards (sometimes referred to as European or French cut) give hardwood floors a unique appearance.



QUARTERED/RIFT WHITE OAK

Special white oak cuts with quarter sawn having a flaky, "tiger ray" appearance and rift cut having a tighter, straight grain look.



WALNUT

Heartwood ranges from deep, rich dark brown to purplish black. Sheoga Brand Walnut is not steamed leaving sapwood nearly white to tan.



WHITE OAK

Heartwood is light brown and sapwood is cream to white. Some boards may have a pinkish tint or slight grayish cast.





Sheoga's engineered flooring features a wear layer that is comparable to the wear layer of our Solid flooring. It is available in Beech, Cherry, Maple, Hickory, Red Oak, White Oak, Walnut, Live Sawn White Oak, and Quartered & Rift White Oak. The substrate is a cross-grained, 11-ply, Baltic Birch plywood, which is adhered to the wood veneer with a hot melt, urethane adhesive.

Due to the thickness of our wear layer, over 5.25mm thickness, we are able to offer our quality engineered flooring in smooth or in all six of our textured styles.

*Sheoga's Significant Collection engineered floors are great for radiant heat applications following the NWFA's installation methods and guidelines. Not intended for floating installations.

THE PROCESS QUALITY CONTROL TESTING

The process to create a quality engineered product is to re-saw our existing individual kiln-dried blanks into three veneers. These veneers are then attached to the plywood and placed through a state-of-the-art machine which provides seven areas of compression to allow proper adhesion with the hot urethane adhesive. Critical attention is given to ensure proper production and quality control testing takes place at multiple times throughout this process.





Prefinished Solid hardwood flooring and paneling are available in various widths up to 8 1/4", with random lengths from 12"-96" inches and 3/4" inch thickness to ensure lifelong beauty.



RED OAK

Red Oak prefinished hardwood flooring is dense and strong, and has been the most favored of all wood species.



BEECH

The natural tones create a beautiful pattern in your home. Beech is an ideal choice to be paired with any of our texturing options.



CHERRY

American Cherry creates an exceptionally beautiful floor. It is best suited in a low traffic area due to its density.



HICKORY

Prefinished Hickory, one of our most popular flooring options, is available in a Natural finish or in a variety of stained colors.



MAPLE

The best wearing of the hardwoods with a rich, warm look. Hard Maple floors are dense and heavy with good strength properties.



WALNUT

Its natural brown color adds tasteful beauty to almost any setting. Walnut floors are very strong with excellent dimensional stability.



WHITE OAK

White Oak hardwood floors are very durable. This wood is available with a natural finish in either clear or character grade.





Sheoga offers truly unique options of textures: Old Mill, Vintage Charm, and Country Worn Scrape, as well as Age-Brushed, Band Sawn, and Sawcut for all our unfinished and prefinished solid or engineered flooring. Available in a variety of species and finishes – the choice to create an uncompromisingly rich and distinct look is yours.



AGED BRUSHED

Age-brushed flooring is brushed with a hard-wire wheel. The end result is a dramatic-looking floor, with accentuated character and natural texture.



BAND SAWN

A similar process to our Sawcut texture, Sheoga's band sawn look offers a horizontally-scarred saw cut texture creating a perfectly unique and weathered aesthetic.



SAW CUT

Circular-sawn or Sawcut flooring has been around since the early pioneers. This texturizing provides an authentic look of times gone by.



COUNTRY WORN

Country worn texturizing is unique to Sheoga. We have designed a machine which produces a non-repetitive pattern for a unique, time-worn look.



VINTAGE CHARM

Our Vintage Charm scrape is unique to Sheoga. Our randomized knife pattern will create a heavier scrape to closely resemble our Old Mill texture.



OLD MILL

At Sheoga, our craftsmen work exclusively on your flooring, scraping each board by hand. The result is a unique floor – with no two boards exactly alike.



Wood vents are available in unfinished or prefinished styles, in smooth or textured styles to match all our flooring offerings. Standard sizes are widths of 2 ¼", 4", 6", 8" and 10" with standard lengths from 8" to 32" in 2" increments. Custom sizes are available upon request.

*Caution: Wood vents wider than 6" are not made to be walked upon without additional weight-bearing support within the air duct opening. Cold air returns or vents made in the cubed style are not designed to be used on the floor due to structural support issues. Wood vents are also not made to walk on with narrow heels.

ACCESSORIES


- Shoe Mold
 T-mold
- Reducer Strip Slip Tongue
 - Rabbeted Nosing

ENVIRONMENTALIMPACT Commitment To Responsible Manufacturing

heoga is located in Ohio's Appalachian forest where nearly all of the timber used in the production of our hardwood flooring is harvested. According to the US Department of Agriculture, there are 1.43 trees growing for every tree that is harvested or dies of natural causes in this region. Some forests in the region have been impacted by insects or disease. Sustainable partial harvesting allows these forests to generate healthy trees. The records show that the Appalachian forest region's timber inventories and acreage have both expanded significantly during the past 50 years. This represents a resource that meets present needs without compromising those of future generations.

Many of our suppliers of hardwood timber are from a large rural Amish community, with some still engaged in using horses to transfer logs to the sawmill. This minimizes damage to young trees and soil and avoids the use of greenhouse-gas-emitting fossil fuels. We also use a wood waste boiler to power our 117,000 sq. ft. manufacturing and showroom space. As well as our 396,000 BF-capacity dry kilns. This also creates excess sawdust which is sold for animal bedding. Were it not for our wood waste boiler system, our estimated heating oil consumption would be around 250,000 gallons per year.





MISSION STATEMENT

The Sheoga team is committed to providing the best quality flooring available, combined with integrity and service to meet our ever-expanding customer demands.

We strive to always welcome new customers along with the challenge to meet their high level of expectations, which has proven to bring repeat business and build long-term friendships. Sheoga's primary goal is to be a good steward in serving our Creator, customers, employees, vendors, friends and the community in which we live.



SUSTAINABLY SOURCED, HAND CRAFTED HARDWOOD FLOORING













